1991 Index

A

Anno, G., 5
Artificial intelligence, 145
Axial flow fans, 250, 259

B

Barnett, Jonathan R., 278
Bigglestone Award, Harry C., 99
Boilover, 54-56, 60-62, 65
Book reviews
  Explosion Investigation and Analysis, 362
  Fire Engineering for Building Structures and Safety, 84
  Guidelines for Chemical Process Quantitative Risk Analysis, 186
  Guidelines for Vapor Release Mitigation, 86
  International Plastics Flammability Handbook, 366
  King's Cross Underground Fire: Fire Dynamics & the Organization of Safety, 278
BRESENS, 67, 68, 70, 72-75
Brown, David R., 82
Building codes, 7, 145, 146, 217, 276, 334, 335
Building construction, 101, 109, 217, 357
Building density, 25, 28, 29
  nonresidential, 28
  residential, 29
  urban, 25
Building evacuation, 80
Burnable material, 5, 7, 8, 29, 30
  carpeting, 8, 11
  flooring, 8, 9, 11, 14, 15, 20, 21
  roofing, 8, 10, 11, 13, 21
  siding, 7
  structural, 16, 21
  subflooring, 8
Burning rate, 54-58, 61, 64, 103, 105, 111, 112, 139, 198, 209, 255, 256
Bush, B., 5

C

Campbell, Bruce G., 204
Ceiling vents, 113-117, 119, 125, 126
Center for Fire Research, 55, 80, 198, 202, 273, 341, 346, 348, 349
  impact on costs of fire, 346
Chemical heat release rate, 321, 323, 324, 326, 329, 331, 332
Commodity classification, 266, 267, 269, 270, 272
Computer programs
  BRESENS, 67
  DETACT, 189
  Hydraulic Helper, 88
  LAVENT, 113
Conference Report
  Worcester, MA, firesafety innovations, 359
Cooper, Leonard Y., 113
Courtier, G. A. C., 250
Costs, 44, 45, 80, 150, 152, 259, 262,

265, 341, 342, 344, 345, 346-349, 360
fire deaths and injuries, 341, 349
impact of Center for Fire Research on, 346, 347
insurance, 342, 345, 347-349
nonthermal fire damage, 342, 343
of built-in fire protection equipment, 342, 343, 347
of fire deaths and injuries, 344
of fire service, 342-344
tabular summary, 345
total, 341
Crude oil, 54, 55, 58, 61, 62, 65
Current research, 266, 350, 356
International Efforts to Advance Firesafety, 356
Small-scale Testing: Passive Fire Protection, Commodity Classification, 266
Comparative Study on the Performance of the U.S. Standard Spray Sprinkler and the European Conventional Style Sprinkler, 350

D

Davis, William D., 113
DiNenno, Philip J., 204
Dioxin, 83, 343
Draft curtains, 113, 114, 116-118, 125, 126
Duct systems, 204, 206, 207, 214, 216, 217
combustion data, 209
direct flame impingement, 210
fire hazard assessment, 208
heated upper layer, 212
plume impingement, 211
support and loading considerations, 214

E

Early detection, 66, 81
Editorial
Axioms of Fire Risk, 1
Fire Risk Ranking, 193
Fire Scenarios, 289
Future of Fire Modeling, 97
Ethanol, 321, 324, 325, 328, 330
Expert systems, 145, 146, 159
Exposure, 34, 82, 83, 101, 140, 145, 147-156, 158, 204-207, 210, 214-216, 327, 338-340
External radiation, 55, 58, 195, 198, 203
Extinguishing efficiency, 292

F

Factory Mutual Research Corporation (FMRC), 109, 127, 209, 266, 322, 324, 333, 350, 356, 357
Fan system design, 250, 257
Fire codes, 145-147, 158
Fire dampers, 204, 205, 214, 216, 217
Fire department, 140, 147, 159
Fire detection and suppression, 219, 220, 229
Fire engineering, 84
Fire extinguishment, 65, 135, 291, 313, 319
Fire fighting, 75, 128, 129, 133-135, 142-144, 291-295, 297, 298, 299, 301, 304, 306, 308, 310, 311, 313, 314, 345, 347
large fires, 311
medium, steady-state, 309
personnel protection, 292, 301,

304, 306, 310, 313, 319
response time, 302, 304, 306
shipboard, 291, 292
shipboard, response time analysis, 303
shipboard, tactics and techniques, 298, 299
visibility, effect on, 301, 302, 304, 308, 313
water usage, 312, 313
Fire losses, 46, 84, 146, 347, 360
Fire modeling, 97, 368
Fire plume, 55, 116, 208, 252, 335, 340
Fire protection, 33, 46, 80, 84-86, 146, 147, 159, 204, 205, 217, 218, 266-270, 272, 300, 314, 333, 340-342, 347, 348, 350, 351, 353, 354, 360, 361, 366, 367
Fire research, 46, 54, 55, 65, 67, 80, 81, 145, 159, 198, 202, 209, 235, 249, 252, 256, 265, 273, 277, 341, 346, 348, 349, 356-358, 361
Fire Research Institute, 54, 55, 65, 357
Fire resistance, 84, 85, 100-104, 106-110, 112, 148, 205, 273, 322, 330, 333
Fire risk analysis, 33-35, 37, 39, 43-46
basic concepts, 34
concepts and modeling approaches, 43
key elements, 37
modeling approaches, 33, 34, 43
outcome measure functions, examples, 38
overview of selected models, 40-42
probability functions, 33
sample models' calculation methods and data sources, 47-53
Fire suppression, 209, 221, 273
Fire tests, 46, 101, 109, 135, 208, 217, 221, 224, 228, 234, 235-237, 244, 245, 268, 292, 298, 299, 302, 314, 352, 353, 366, 367
duct systems, 206
full-scale, 222, 235-238, 244, 245, 273, 291, 292, 334
hydraulic fluids, 322, 324
in cable tunnels, 220
intermediate-scale, 267, 269
large-scale, 56, 60, 222
response and extinguishment times, 315
small-scale, 56, 60, 266, 268-270
Fire threat, 67, 129, 217, 291, 298, 300, 301, 316, 318, 319
Fire-rated walls and partitions, 204
Fires, 5, 6, 34, 36, 37, 44, 46, 54, 58, 64-67, 69, 75, 80, 81, 82, 83, 85, 100-104, 108-111, 113, 117, 126-130, 136, 139, 140, 143, 144, 146-148, 159, 195, 203, 208, 216, 218, 221, 222, 223, 226, 227, 229, 234, 237, 247, 249, 251, 255, 256, 266, 269, 273-277, 291, 292, 294, 295, 298-302, 304, 305, 306-315, 318, 319, 321, 324, 328, 330-335, 339, 341, 342, 343, 344, 346, 348, 351, 354, 367
early detection, 66, 81
in cable tunnels, 219
large, 300, 310, 311
medium, 300
medium, steady-state, 308, 309
medium, ventilation-limited, 302, 306, 307

small, 300, 304, 305
Flame, 54-56, 59-61, 101, 117, 144, 148, 154, 195-203, 205, 208, 210-214, 216, 220, 221, 249, 253, 269, 271, 274-276, 304, 308, 310, 312, 318, 321-325, 327-329, 331, 332, 333, 338-340, 343, 366, 367
Flame height, 117, 195, 197-200, 202, 210, 211, 325, 338, 339, 340
Flame retardant, 343
Flame spread
wall materials, 195
Flow rate, 111, 112, 128, 130, 131, 136, 139, 142, 143, 234, 235-238, 241, 244-246, 248, 291-293, 323, 324, 326, 327, 329, 332
FORUM, 356-358
conference, 356
objectives, 357, 358
research agenda, 357
Forum for International Cooperation in Fire Research (FORUM), 356
Fuel load, 5-8, 10-15, 22, 24, 29, 103, 107, 117, 155
Fuel loads, 5-8, 11, 13-15, 21, 22, 24, 29, 30
nonresidential, 5, 15, 17, 20, 21, 23, 25, 26, 28-30
roofing, 10
Fusible links, 113-119, 126

G

Gaj, R., 5
Gardner, Thomas W., 88
Gas analysis, 234-236, 238
Gewain, Richard G., 204

H

Hall, John R., Jr., 33
Heat release rate, 116, 117, 120, 121, 198, 199, 202, 208, 209, 211, 212, 219, 222, 224, 227, 234, 249, 267, 268, 270, 301, 321-324, 326, 329-332, 336, 338
Heptane, 54, 55, 57, 58, 65, 295, 321, 324, 325, 328, 330
Horizontal projections, 334
Hose reels, 292
House fires, 82, 83
Hydraulic fluids, 321, 322, 324, 328-330, 332, 333
Hydraulic Helper, 88, 89, 91
features, 89
program overview, 88
system requirements, 89

I

Informative fire warning, 68
evacuation model, 72
evacuation time, 79
message display characteristics, 71
modes, summary of results and overall rankings, 76
psychological criteria, 69

J

Janssens, Marc L., 234
Jonas, L. A., 315

K

Kerosene, 54, 55, 62, 64
Khan, M. M., 321
Koseki, Hiroshi, 54

L

LAVENT, 113-115, 119, 125, 126
Letters to the Editor, 92, 93, 160-185, 280-282, 369-373
Life safety, 66, 75, 145, 343, 344, 347

Liquid fuel fire, 222
Longinow, Andrew, 362

M

Marke, Peter, 219
Maximum pre-burn time, 226, 227
McCoy, R., 5
Meade, William P., 341
Medical symptoms, 83
Mehaffey, J. R., 100, 109
Methanol, 276, 321, 324, 325, 328, 330
Milke, James A., 84
Mineral oil, 321, 324, 328, 330-332
Mniszewski, Kim R., 361
Mulholland, G. W., 54, 65

N

National Institute of Standards (NIST), 46, 55, 159, 202, 209, 235, 273, 314, 341, 346, 357
News and Meetings, 94-96, 190-192, 283-288, 374-377
NFPA 13, 90
NFPA 13D, 90
NFPA 72E, 209, 210, 217
NFPA 80A, 145, 147, 148, 150-156, 159
NFPA 90A, 204, 205, 214, 217
Nozzles, 128, 138, 139, 144, 224, 228, 314, 321, 322, 328, 331, 332

O

Oleszkiewicz, Igor, 334
Oxygen consumption, 234, 239, 248, 249

P

Polychlorinated dibenzo-p-dioxins, 82
Portable extinguishers, 129, 139, 291, 292, 298, 300, 304, 308, 313
Pressure/flow characteristics, 129, 291
Probability functions, 33

Q

Quintiere, James G., 195

R

Rack storage, 75, 271, 352, 353
Ramachandran, G., 66, 80, 81
Rao, Hari V., 82
Residential fuel loads, 5, 6, 13, 29
  multiple-family, 6, 13-15, 29
  multiple-story, 5, 13, 15
  SFD (single-family detached), 5, 7, 8, 10, 11, 13, 14, 25
Rubber tires, 100, 108, 296, 312, 351

S

Scenario structures, 33
Schaenman, Philip, 346
Scheffey, Joseph L., 128, 204, 291
Sekizawa, Ai, 33
Shanley, James H., Jr., 204
Small, R. D., 5
Smith, Richard Lee, 145
Smoke detectors, 126, 348
  VESDA, 221
Smoke emission, 6, 55, 59, 65
Smoke management systems, 161, 179
  air flow requirements, 183
  fan installation and maintenance, 264
  fan specifications, 259
  fan types, 263
  gas temperatures, 179, 180
  product certification, 263
  smoke detectors, 161-163
  smoke exhaust, 160, 171

smoke layer, 170, 171, 174, 175, 178
smoke layer, temperature rise, 166, 183
smoke production, 164, 181, 252, 253
smoke stratification, 165, 183
smoke temperature, 255
smoke venting, 250, 251
Smoke venting, 126, 250, 251, 258, 259, 261
Software review, 88
Spandrel walls, 334
Spray combustion, 321-323, 333
Sprinklers, 85, 100, 102, 104, 114, 121, 124-126, 128, 211, 221, 256, 257, 267, 269, 342, 348, 350-355
European conventional, 350, 351, 353
fire tests, 352, 354
standard spray, 350, 351, 353
Stickles, R. Peter, 86
Storage, 5, 20-22, 25, 28, 54, 75, 83, 87, 100, 109, 209, 266, 271, 297, 314, 350-354, 363, 364, 367
commodities classification, 266
passive fire protection, 266
Structural fire protection, 84, 85, 360

T

Technica, 72, 81
Technical notes, 66, 82, 250, 334, 341, 346
Tewarson, A., 321
Thermal radiation, 54, 65, 217, 293
Toluene, 54, 55, 62, 64
Toxicity, 367
Tu, King-Mon, 195

U

UL 555, 205, 214, 217
University of California, Berkeley fire safety engineering program, 273
Upward flame spread, 195-197, 202
thermal theory for modeling, 196
wall materials, 197
Urban fuel loads, 30
nonresidential, 23
nonresidential, U.S. building characteristics, 18, 19
roofing, 7, 10, 14, 15
single-family detached homes, 5
structural, 7, 16, 21
warehouses, 16, 22, 25

V

Vapor release, 86
Ventilation rates, 213, 250, 251
axial flow fans, 250
VESDA, 221, 222, 227, 228

W

Wall materials, 195, 197
upward flame spread tests, 196
Warehouse, 21, 22, 100, 102, 104, 108, 342, 343, 351
Water, 54-56, 59, 61, 62, 65, 85, 115, 125, 128, 129, 131, 133, 134, 135, 137-141, 143, 144, 151, 153, 219, 220, 222, 224, 226-229, 235, 236, 238-240, 242, 247, 267-271, 291, 292, 294, 298, 306, 308, 310-314, 321, 322, 324, 328-332, 342, 351, 353, 355
Water hose reel systems, 128
Wild, J. A., 250
Williams, Frederick W., 128, 291
Wood cribs, 129, 246, 295